


[Jira] JQL Jira

[Jira] JQL Jira




JQL


JQL Jira Query Language Jira . JQL .

JQL


1. Issues > Search for issues .



2. Advanced .




3. JQL Enter



JQL

1. JQL

JQL,,, .



2. JQL

- JIRA JIRA . . .
-

-

=	
!=	
>	

<	
>=	
<=	
~	()
!~	()
IN	
NOT IN	
IS	(EMPTY, NULL)
IS NOT	(EMPTY, NULL)
WAS	
WAS IN	
WAS NOT IN	
WAS NOT	
CHANGED	

• .

- . . .
-
-
-
-

AND	
OR	
NOT	
EMPTY	
NULL	
ORDER BY	

JQL

- (,)
- : Summry ~ "[example]"

1.

space	("	"	+	.	,	;	?		*	/	%	^	\$	#	@	[]
-------	---	---	---	---	---	---	---	---	--	---	---	---	---	----	---	---	---	---

2.

"abort", "access", "add", "after", "alias", "all", "alter", "and", "any", "as", "asc", "audit", "avg", "before", "begin", "between", "boolean", "break", "by", "byte", "catch", "cf", "char", "character", "check", "checkpoint", "collate", "collation", "column", "commit", "connect", "continue", "count", "create", "current", "date", "decimal", "declare", "decrement", "default", "defaults", "define", "delete", "delimiter", "desc", "difference", "distinct", "divide", "do", "double", "drop", "else", "empty", "encoding", "end", "equals", "escape", "exclusive", "exec", "execute", "exists", "explain", "false", "fetch", "file", "field", "first", "float", "for", "from", "function", "go", "goto", "grant", "greater", "group", "having", "identified", "if", "immediate", "in", "increment", "index", "initial", "inner", "inout", "input", "insert", "int", "integer", "intersect", "intersection", "into", "is", "isempty", "isnull", "join", "last", "left", "less", "like", "limit", "lock", "long", "max", "min", "minus", "mode", "modify", "modulo", "more", "multiply", "next", "noaudit", "not", "notin", "nowait", "null", "number", "object", "of", "on", "option", "or", "order", "outer", "output", "power", "previous", "prior", "privileges", "public", "raise", "raw", "remainder", "rename", "resource", "return", "returns", "revoke", "right", "row", "rowid", "rownum", "rows", "select", "session", "set", "share", "size", "sqrt", "start", "strict", "string", "subtract", "sum", "synonym", "table", "then", "to", "trans", "transaction", "trigger", "true", "uid", "union", "unique", "update", "user", "validate", "values", "view", "when", "whenever", "where", "while", "with"

JQL

JQL .

1. '' 'In Progress'

```
project = AND status = "In Progress"
```

2.

```
attachments IS NOT EMPTY
```

3. ". "

```
comment ~ "\".\""
```

4. 2021-4-13

```
created < "2021-4-13"
```

5. '1' '2'

```
component in (1, 2)
```

6. assignee

assignee CHANGED

7. assignee "

assignee WAS

8. duedate ,

duedate = empty order by created, priority asc

JQL

1. 'In Progress'

status was ("In Progress") DURING (startofweek(), endofweek());

2. Resolution 'Fixed'

resolution changed to "Fixed"

3. '' 'In Progress' 'Resolved'

project = AND status CHANGED FROM "In Progress" TO "Resolved" BY

4. '' 2 'blocker' 'critical'

project = AND priority in (blocker, critical) AND created > -2w ORDER BY created DESC

5. (Time Tracking Worklog)

workRatio > 100

6. 1

lastViewd > "-1w"

7.

filter = "Test Filter" AND assignee = currentUser()

